



# IAPMO Plumbing Codes and Standards India Pvt. Ltd.

No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: Somany Sanitaryware Private Limited Regd. Off. S. No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat.**

**File No: IN-1046**

**Product: Dual Flush Water Closets**

**Void After: September 30, 2020**

**IDENTIFICATION:** The manufacturer's name or registered trademark, or, in the case of private labeling, the name of the customer for whom the fixture was manufactured, shall be permanently applied so as to be legible, readily identified, and located so as to be visible after installation. The model number of each water closet, or bowl and tank model numbers (in the case of close-coupled water closets) shall be applied on each component so as to be legible and visible after installation.

Each water closet shall be marked, identifying the water consumption of the fixture. This disclosure shall be expressed in terms of liters per flush as follows:

- (a) 4.8 Lpf, or the actual tested water consumption, if lower, for high-efficiency water closets;
- (b) 6.0 Lpf, or the actual tested water consumption, if lower, for low consumption water closets.

Each Gravity flush tank shall be permanently marked by the manufacturer with a water level mark, or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the vitreous body in the tank, the tank liner, or the flush-valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm.

Fixtures that do not comply with one or more of the dimensional requirements of standard ASME A112.19.2-2013/CSA B45.1-13 shall be marked with an "N" to indicate the non-standard nature of the fixture.

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes and Standards India Pvt. Ltd.

No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: Somany Sanitaryware Private Limited Regd. Off. S. No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat.**

**File No: IN-1046**

**Product: Dual Flush Water Closets**

**Void After: September 30, 2020**

All packaging for vitreous plumbing fixtures shall be marked with the manufacturer's name or registered trademark, or, in case of private labeling, the name of the customer for whom the fixture was manufactured, and the model number of the fixture. Listed products shall bear the UPC-I™ certification mark.

**CHARACTERISTICS:** Water closets equipped with a dual flushing device. To be installed to the manufacturer's instructions and requirements of the latest edition of the Uniform Plumbing Code – India (UPC-I). Products comply to applicable sections of the latest edition of the Uniform Plumbing Code – India, ASME A112.19.2-2013/CSA B45.1-13 with Update No. 1, and ASME A112.19.14-2013. Sample models listed on this certificate were tested by an IAPMO India recognized laboratory that was found compliant to applicable requirements in ISO/IEC 17025.

*K. Chandrasekhar*

Dr. K. Chandrasekhar  
IAPMO India

*Russ Chaney*

GP Russ Chaney  
CEO, The IAPMO Group



### MODELS:

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes and Standards India Pvt. Ltd.

No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: Somany Sanitaryware Private Limited Regd. Off. S. No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat.**

**File No: IN-1046**

**Product: Dual Flush Water Closets**

**Void After: September 30, 2020**

<b>Dual flush Gravity Flow</b>				
<b>1 PC EWC FLOOR MOUNT MODEL</b>	<b>BOWL</b>	<b>TANK</b>	<b>WDI FITTING MODEL NO:</b>	
	<b>Model number</b>		<b>FILL VALVE</b>	<b>FLUSH VALVE</b>
One Piece Toilet 'Tesla' S Trap 220 mm	<b>17112016090101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Damak' S Trap 220 mm	<b>17112016094101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Marina' S Trap 110 mm	<b>17112016084101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Marina' S Trap 300 mm	<b>17112016088101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Marina' S Trap 220 mm	<b>17112016086101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Marina' P Trap 180 mm	<b>17112016098101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Obika' Trap 300 mm	<b>17112016026101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Obika' Trap 220 mm	<b>17112016034101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Rubix' S Trap 220 mm	<b>17112016037101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Rubix' S Trap 300mm	<b>17112016055101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Rubix' S Trap 110mm	<b>17112016057101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Rubix' P Trap 180mm	<b>17112016059101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Jupiter' S Trap 220 mm	<b>17112016053101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Jupiter' S Trap 110 mm	<b>17112016061101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Jupiter' P Trap 180 mm	<b>17112016063101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Jupiter' S Trap 300 mm	<b>17112016067101</b>	1PC EWC	B3500	B4500
One Piece Toilet 'Dinar' S Trap 220 mm	<b>17112016033101</b>	1PC EWC	B3500	B4500

### MODELS:

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes and Standards India Pvt. Ltd.

No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: Somany Sanitaryware Private Limited Regd. Off. S. No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat.**

**File No: IN-1046**

**Product: Dual Flush Water Closets**

**Void After: September 30, 2020**

<b>Dual flush Gravity Flow</b>				
<b>2PC EWC FLOOR MOUNT MODEL</b>	<b>BOWL</b>	<b>TANK</b>	<b>WDI FITTING MODEL NO:</b>	
			<b>FILL VALVE</b>	<b>FLUSH VALVE</b>
	<b>Model number</b>	<b>Model number</b>		
'Uniek' Closet - S Trap 220 mm	17112012025101	17118001085101	B3835 E	B4900H
'Uniek' Closet - P Trap 180 mm	17112012027101	17118001085101	B3835 E	B4900H
'Uniek' Closet - S Trap 110 mm	17112012031101	17118001085101	B3835 E	B4900H
Two Piece Toilet ' <b>Kamp</b> ' - S Trap 220 mm	17112012019101	17118000165101	B3835 E	B4900H
EWC 'S' – TRAP- Somany	17112012004101	-	Smat pp cistern- Dual flush	
EWC 'P' – TARP- Somany	17112012006101	-	Smat pp cistern- Dual flush	
EWC Concealed 'S' TRAP- Somany	17112012029101	-	Smat pp cistern- Dual flush	

Tested with Dual flush plastic tank .  
Tested with Dual flush plastic tank  
Tested with Dual flush plastic tank

### Dual flush Gravity Flow

<b>WALL HUNG EXTENDED EWC 2 PC MODEL</b>	<b>BOWL</b>	<b>TANK</b>	<b>WDI FITTING MODEL NO:</b>	
			<b>FILL VALVE</b>	<b>FLUSH VALVE</b>
	<b>Model number</b>	<b>Model number</b>		
Extended Wall Hung ' <b>Kape</b> ' 170 mm	17112011007101	17118001089101	B3835 E	B4900H
'Uniek' Extd. Wall Hung WC 170 mm	17112011013101	17118001085101	B3835 E	B4900H

### MODELS:

<b>WALL HUNG EWC WDI CONCEALED</b>	<b>BOWL</b>		
------------------------------------	-------------	--	--

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.



# IAPMO Plumbing Codes and Standards India Pvt. Ltd.

No.43, 4th Floor, PMR Tower, Beratena Agrahara, Near Hosa Road junction, Bangalore, Karnataka 560100



## CERTIFICATE OF LISTING

IAPMO Plumbing Codes and Standards India Private Ltd. (aka IAPMO India) is a product certification body which lists and inspects samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO India of the product acceptance by Authorities Having Jurisdiction.

**Licensee: Somany Sanitaryware Private Limited Regd. Off. S. No: 136 P1 &138/3, Nh.8-A,Vill, Vaghasiya, Wankaner – 363 622.Gujarat.**

**File No: IN-1046**

**Product: Dual Flush Water Closets**

**Void After: September 30, 2020**

DUAL FLUSH			
			WDI CONCEALED CISTERN MODEL
	<b>Model number</b>	-	<b>NO:</b>
Neptune BTW WC S 110 mm	<b>17118001194101</b>	-	WDI K303 - D
Neptune BTW WC P 180 mm	<b>17112004001101</b>	-	WDI K303 - D
Wall Hung WC BTW 'Marina' S-110 mm	<b>17112004198101</b>	-	WDI K303 - D
Wall Hung WC 'IRIS' P- Trap	<b>17112026024101</b>	-	WDI K303 - D
Wall Hung WC 'Atina' P- Trap	<b>17112026055101</b>	-	WDI K303 - D
Wall Hung WC 'Mido' P- Trap	<b>17112026063101</b>	-	WDI K303 - D
Wall Hung WC 'Nick' P- Trap	<b>17112026061101</b>	-	WDI K303 - D
Wall Hung WC 'Knox' P- Trap	<b>17112026059101</b>	-	WDI K303 - D
Wall Hung WC 'Kape' P- Trap	<b>17112026057101</b>	-	WDI K303 - D
Wall Hung WC 'Rio' P- Trap	<b>17112026003101</b>	-	WDI K303 - D
Wall Hung WC 'Kape' Rimless P- Trap	<b>17112026050101</b>	-	WDI K303 - D
Wall Hung WC 'Marina' P- Trap	<b>17112026049101</b>	-	WDI K303 - D
Wall Hung WC 'Ardita Rimless' P- Trap	<b>17112026051101</b>	-	WDI K303 - D

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of IAPMO India, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO India. Any unauthorized alteration of this certificate will be grounds for revocation of this listing.